



## Biodiversity

### The Philippine Key Biodiversity Areas (KBAs)



The Department of Environment and Natural Resources-Biodiversity Management Bureau (formerly the Protected Areas and Wildlife Bureau), teaming up with Conservation International Philippines (CI Philippines) and the Haribon Foundation, delineated terrestrial Key Biodiversity Areas (KBAs) in the Philippines in a 2006 publication entitled, "Priority Sites for Conservation in the Philippines: Key Biodiversity Areas."

The Department of Environment and Natural Resources-Biodiversity Management Bureau (formerly the Protected Areas and Wildlife Bureau), teaming up with Conservation International Philippines (CI Philippines) and the Haribon Foundation, delineated terrestrial Key Biodiversity Areas (KBAs) in the Philippines in a 2006 publication entitled, "Priority Sites for Conservation in the Philippines: Key Biodiversity Areas." The results of this effort was further supplemented with the identification of marine priority conservation areas in 2009, behind further efforts by CI Philippines, DENR-BMB, and the Department of Agriculture-Bureau of Fisheries and Aquatic Resources (DA-BFAR).






Illustration of Philippine KBAs per protection, adapted from Ambal RGR, et al (2012). (Click the image to view the map in full resolution.)

KBAs by Ecosystem Coverage	Area (sq.km)	# of KBAs	% of KBAs	Protected KBAs	Partially Protected KBAs	Unprotected KBAs
Terrestrial only	51,249	101	44%	27	25	49
Marine only	19,601	77	34%	8	6	63
Terrestrial and Marine	35,702	50	22%	15	10	25
<b>TOTAL</b>	<b>106,552</b>	<b>228</b>	<b>100%</b>	<b>50</b>	<b>41</b>	<b>137</b>

This table summarizes the number of Key Biodiversity Areas identified in the Philippines as of 2009. It is worthy of note that nearly 80% of the total number remains inadequately covered by conservation-related legislation. Adapted from Ambal RGR, et al (2012).

The KBA-based conservation approach follows globally sanctioned commitments to establish priority biodiversity protection sites such as the Convention on Biological Diversity (CBD) and the World Summit for Sustainable Development (WSSD). Site-scale conservation is currently the best accepted norm for conservation efforts as the target areas include natural territories of the world's most vulnerable species while also providing the best potential for manageable and sustainable conservation approaches.

Furthermore, the combined efforts of the triumvirate of CI Philippines, DENR-BMB, and Haribon Foundation serve to reinforce and refine the mandate of the [NIPAS \(National Integrated Protected Areas System\) Act of 1992](#). Adopting a more educated, modern perspective on biodiversity conservation, the identification of KBAs now enjoins governance efforts on various scales – from national parks to indigenous and community conserved areas (ICCAs) to private reserves, relying on a per-case assessment of the best conservation approaches and, in effect, promoting the pursuit of reliable and sustainable solutions built from the ground up.

For more information on the identified KBAs, you may view the reference reports in full through the list of reference sources provided below.

### **KBA Selection Criteria**

The Key Biodiversity Areas were selected using standard criteria, based on the principles of species vulnerability and irreplaceability. These are explained further below:

- **Criterion 1: Globally-threatened species (vulnerable species)** - Locations that exhibit a regular occurrence of one or more globally threatened species, as identified by the IUCN Red List, are considered KBAs.

- **Criterion 2: Restricted-range species (irreplaceable species)** - In the case of the Philippines, where data for range and population sizes are still lacking, endemic species were used as reference for identifying KBAs based on restricted range species.

- **Criterion 3: Congregatory species (irreplaceable species)** - KBAs may also be defined according to an area's function as a site where at least 1% of the global population of species gather in large numbers during some stage in their life cycle (e.g. breeding).

Further, the KBAs are a refinement of existing lists of priority conservation sites as already defined by the Philippine Biodiversity Conservation Priority-setting Program (PBCPP) of 2002, among others.

*(Adapted from CI Philippines, et al. 2006.)*

### **Reference**

- Conservation International Philippines, Department of Environment and Natural Resources-Protected Areas and Wildlife Bureau, Haribon Foundation for the Conservation of Nature. 2006. Priority Sites for Conservation in the Philippines: Key Biodiversity Areas. Quezon City, Philippines: Conservation International Philippines. (Online: <http://www.conservation.org/global/philippines/publications/Pages/Priority-Sites-for-Conservation-Key-Biodiversity-Areas.aspx>)
- Conservation International Philippines, Department of Environment and Natural Resources-Protected Areas and Wildlife Bureau, Department of Agriculture-Bureau of Fisheries and Aquatic Resources. 2009. Priority Sites for Conservation in the Philippines: Marine Key Biodiversity Areas (Overview). Quezon City, Philippines: Conservation International Philippines. (Online: [http://www.conservation.org/global/philippines/publications/Documents/MKBA\\_Overview.pdf](http://www.conservation.org/global/philippines/publications/Documents/MKBA_Overview.pdf))
- Ambal RGR, Duya MV, Cruz MA, Coroza OG, Vergara SG, De Silva N, Molinyawe N, Tabaranza B. 2012. Key Biodiversity Areas in the Philippines: Priorities for Conservation. Journal of Threatened Taxa 4(8): 2788-2796. (Online: <http://threatenedtaxa.org/ZooPrintJournal/2012/August/o299506viii122788-2796.pdf>)